

## 2003 TAFI Publications

Adams, M.B. and Nowak, B.F. 2003. 'AGD sequential pathology: field re-infection and experimental primary interactions/effect of physical gill trauma on attachment of *Neioparamoeba* species', *The Third Scientific Conference of the Atlantic Salmon Aquaculture Subprogram Handbook*, Hobart, 15-19.

Bagley, C.A., Nowak, B.F., Douglas-Helders, G.M. and Morrison, R.N. 2003. 'Putting the spotlight on amoebic gill disease in Atlantic salmon', *Abstracts, 11th International Conference of the EAAP*, Malta, 142.

Barmuta, L.A., Emmerson, L. and Otahal, P. 2003. *The sensitivity of AusRivAS to variations of input values, low natural diversity and temporal variation*, AusRivAS, Final Contract Report.

Barmuta, L.A. and Wotherspoon, S.J. 2003. *Monitoring and research requirements for Chrophyte algal beds in Great Lake 2003 and beyond*, Hydro Tasmania, Draft Consultant Report.

Barrett, N.S., Edgar, G.J., Morton, A.J. and Buxton, C.D. 2003. 'A decade of study in Tasmanian MPAS - Part 2', *Fishing Today*, Turtle Press, Tasmania, Australia, 16, 2.

Battaglione, S.C. 2003a. '2000/252: Optimising water quality in rock lobster post-harvest processes', *The Lobster News*, Rock Lobster Post-Harvest Subprogram, FRDC, Australia, 5, 5.

Battaglione, S.C. 2003b. 'Progress in striped trumpeter research in Tasmania', *Aquasplash*, Aquafin CRC, Australia, 1, 4.

Battaglione, S.C. and Cobcroft, J.M. 2003a. 'Farewell from the old ASAS', *Aquasplash*, Aquafin CRC, Australia, 1, 4.

Battaglione, S.C. and Cobcroft, J.M. 2003b. *Aquafin CRC - FRDC Atlantic salmon aquaculture subprogram: Facilitation, administration and promotion*, FRDC Final Report.

Bermudes, M.F.M. 2003a. 'Aspects of the larval biology of southern rock lobster in Tasmania: north vs south', *The Lobster Newsletter*, Old Dominion University, USA, 16, 1.

Bermudes, M.F.M. 2003b. 'Larval Culture of the Southern Rock Lobster', *The Lobster Newsletter*, Old Dominion University, USA, 16, 1.

Bissett, A.P., Bowman, J.P. and Burke, C.M. 2003. 'Ammonia-oxidiser communities in fish farm sediments', *Final Program and Abstracts Book - Micro NZ 2003*, The Edge - Aotea Centre, Auckland, New Zealand, PP20.3.

Bolch, C.J.S., Blackburn, S.I., Holmes, M.J. and Green, D.H. 2003. 'Molecular evidence suggests a recent link between Australasian and Japanese *Gymnodinium catenatum* populations', *Book of Abstracts*, St.Pete Beach, Florida, USA, 32.

Bradshaw, M., 2003. A politics of doing social research for fishery biologists, managers and industry. *Qualitative Research*, 3, 3: 359-377.

Bradshaw, M. and Wood, L., 2003. Zoning and the Tasmanian commercial rock lobster fishery. *Local Environment*, 8, 5: 513-525.

Bradshaw, M. and Eaton, L. 2003. 'An Interdisciplinary Combination of Qualitative and Quantitative Research on the 'Skipper Effect' in the Tasmanian Commercial Rock Lobster Fishery', *New Zealand Geographer*, 59 (2) 35-43.

Bransden, M.P., Carter, C.G. and Nichols, P.D. 2003. 'Replacement of fish oil with sunflower oil in feeds for Atlantic salmon (*Salmo salar* L.): effect on growth performance, tissue fatty acid composition and disease resistance', *Comparative Biochemistry and Physiology Part B*, 135 (4) 611-625.

Bridle, A.R., Butler, R. and Nowak, B.F. 2003a. 'Immunostimulatory CpG oligodeoxynucleotides increase resistance against amoebic gill disease in Atlantic salmon, *Salmo salar* L', *Journal of Fish Diseases*, 26 367-371.

Bridle, A.R., Butler, R. and Nowak, B.F. 2003b. 'Pathophysiological relevance of inflammation and innate immunity in amoebic gill disease in Atlantic salmon (*Salmo salar*)', *The Third Scientific Conference of the Atlantic Salmon Aquaculture Subprogram Handbook*, Hobart, 21.

Bridle, A.R., Butler, R. and Nowak, B.F. 2003c. 'Pathophysiological relevance of inflammation and innate immunity in amoebic gill disease in Atlantic salmon (*Salmo salar*)', *Programme and Abstracts*, University of St Andrews, Scotland UK.

Bruno, D.W., Nowak, B.F. and Elliott, D.G. 2003. 'Tumour Histophology Workshop', *Abstracts, 11th International Conference of the EAFP*, Malta, Workshop 6.

Butler, R. and Nowak, B.F. 2003. 'Characterisation of protease activity of trophozoites of neoparamoeba pemaquidensis', *Abstracts, 11th International Conference of the EAFP*, Malta, 1-12.

Carter, C.G. 2003a. 'Aquaculture: nutrition for growth and product quality', *Proceedings of The Nutrition Society of Australia*, 27 S30.

Carter, C.G. 2003b. 'Influence of environment on the diet composition and nutritional requirements of salmonids', *Proceedings of the Second Annual Aquaculture Nutrition subprogram Workshop - Fremantle 2003*, Fremantle, Western Australia, 43-45.

Carter, C.G., Abdel-Warith, A.W.A. and Davies, S.J. 2003. 'The relationship between dominance rank and feed intake following the introduction of novel feeds to African catfish', *Fish as models of behaviour*, Norwich, England, 12.

Carter, C.G., Bransden, M.P., Lewis, T.E. and Nichols, P.D. 2003. 'Potential of Thraustochytrids to partially replace fish oil in Atlantic salmon feeds', *Marine Biotechnology*, 5 480-492.

Carter, C.G., Lewis, T.E. and Nichols, P.D. 2003. 'Comparison of cholestane and yttrium oxide as digestibility markers for lipid components in Atlantic salmon (*Salmo salar* L.) diets', *Aquaculture*, 225 341-351.

Cheshuk, B.W. 2003. 'September 2002 rock lobster fishery', *Fishing Today*, Turtle Press, Tasmania, Australia, 16, 1.

Cheshuk, B.W., Purser, G.J. and Quintana, R. 2003. 'Integrated open-water mussel (*Mytilus planulatus*) and Atlantic salmon (*Salmo salar*) culture in Tasmania, Australia', *Aquaculture*, 218 357-378.

Clark, G.A., Powell, M.D. and Nowak, B.F. 2003. 'Effects of commercial freshwater bathing on reinfection of Atlantic salmon, *Salmo salar*, with amoebic gill disease', *Aquaculture*, 219 135-142.

Cobcroft, J.M. and Battaglione, S.C. 2003. 'ASAS Scientific Conference', *Aquasplash*, Aquafin CRC, Australia, 1, 4.

Cobcroft, J.M. and Pankhurst, P.M. 2003. 'Sensory organ development in cultured striped trumpeter larvae *Latris lineata*: implications for feeding behaviour', *Marine and Freshwater Research*, 54 (5) 669-682.

Cohen, P.J. and Ritz, D.A. 2003. 'Role of kairomones in feeding interactions between seahorses and mysids', *Journal of the Marine Biological Association of the United Kingdom* (83) 633-638.

Cook, M.T., Hayball, P.J., Birdseye, L., Bagley, C., Nowak, B.F. and Hayball, J.D. 2003. 'Isolation and partial characterization of a pentraxin-like protein with complement-fixing activity from snapper (*Pagrus auratus*, Sparidae) serum', *Developmental & Comparative Immunology*, 27 579-588.

Cook, M.T., Hayball, P.J., Hutchinson, W., Nowak, B.F. and Hayball, J.D. 2003. 'Administration of a commercial immunostimulant preparation, EcoActiva as a feed supplement enhances macrophage respiratory burst and the growth rate of snapper (*Pagrus auratus*, Sparidae (Bloch and Schneider)) in winter', *Fish & Shellfish Immunology*, 14 333-345.

Cox, S.L. and Johnston, D.J. 2003a. 'Developmental changes in the structure and function of mouthparts of phyllosoma larvae of the packhorse lobster, *Jasus verreauxi* (Decapoda: Palinuridae)', *Journal of Experimental Marine Biology and Ecology*, 296 35-47.

Cox, S.L. and Johnston, D.J. 2003b. 'Feeding biology of spiny lobster larvae and implications for culture', *Reviews in Fisheries Science*, 11 (2) 89-106.

Crawford, C. 2003a. 'Environmental management of marine aquaculture in Tasmania, Australia', *Aquaculture*, 226 (1) 129-138.

Crawford, C. 2003b. 'Qualitative risk assessment of the effects of shellfish farming on the environment in Tasmania, Australia', *Ocean & Coastal Management*, 46 (1) 47-58.

Crawford, C., MacLeod, C. and Mitchell, I. 2003. 'Effects of shellfish farming on the benthic environment', *Aquaculture*, 224 (1) 117-140.

Crear, B.J., Cobcroft, J.M. and Battaglene, S.C. 2003. *Guide for the rock lobster industry No. 2: Recirculating systems for holding rock lobsters*, FRDC Final Report.

Crear, B.J., Hart, P.R. and Thomas, C.W. 2003. 'The effect of photoperiod on growth, survival, colour and activity of juvenile southern rock lobster, *Jasus edwardsii*', *Aquaculture Research*, 34 (6) 439-444.

Crosbie, P.B.B., Dykova, I., Nowak, B.F. and Carson, J. 2003. 'Characterisation of host - and environment -isolated strains of *Beioaranieba oenaquyudebsus*, the causative organism of amoebic gill disease', *Abstracts, 11th International Conference of the EAFP*, Malta, P-22.

de Salas, M.F., Bolch, C.J.S., Botes, L., Nash, G., Wright, S.W. and Hallegraeff, G.M. 2003. '*Takayama* Gen. Nov. (Gymnodiniales, Dinophyceae) a new genus of unarmored dinoflagellates with sigmoid apical grooves, including the description of two new species', *Journal of Phycology*, 39 1-14.

de Salas, M.F., Hallegraeff, G.M. and Bolch, C.J.S. 2003. 'Taxonomy, morphology and genetic affinities of small marine Australian *gymnodinioid dinoflagellates*', *Book of Abstracts*, St. Pete Beach, Florida, USA, 67.

Douglas-Helders, G.M., Handler, J.H., Carson, J. and Nowak, B.F. 2003. 'Assessment over time of the infectivity of gill-derived and seawater dispersed *Neoparamoeba permaquidensis* (Page, 1987)', *Bulletin of the European Association of Fish Pathologists*, 23 35-39.

Douglas-Helders, G.M., O'Brien, D.P., McCorkell, B.E., Zilberg, D., Gross, A., Carson, J. and Nowak, B.F. 2003. 'Temporal and spatial distribution of paramoebae in the water column - a pilot study', *Journal of Fish Diseases*, 26 231-240.

Douglas-Helders, G.M., Tan, C.K., Carson, J. and Nowak, B.F. 2003. 'Effects of copper-based antifouling treatment on the presence of *Neoparamoeba pemaquidensis* Page, 1987 on nets and gills of reared Atlantic salmon (*Salmo salar*)', *Aquaculture*, 221 13-22.

Dunstan, G.A., Brown, M.R., Brock, M., Nichols, P.D. and Bransden, M.P. 2003. 'Measured and predictive composition of live feeds enriched with oil and vitamin enhanced emulsions', *Internal Report*, CSIRO, Australia, 1.

Dunstan, G.A., Brown, M.R., Nichols, P.D., Brock, M., Ritar, A.J. and Thomas, C.W. 2003. 'Ascorbic acid, tocopherol and fatty acid composition of time-course enriched Artemia: analyses undertaken by CSIRO MR as part of CSIRO MR/TAFI collaboration within FRDC Project 2000/214', *Internal Report*, CSIRO, Australia, 1.

Dunstan, P.K. and Johnson, C.R. 2003. 'Competition coefficients in a marine epibenthic assemblage depend on spatial structure', *Oikos* (100) 79-88.

Edgar, G.J., Barrett, N.S. and Bancroft, K. 2003. 'Baseline surveys for ecosystem monitoring within the Jurien Bay Marine Park 1999-2003', *Internal Report*, Tasmanian Aquaculture and Fisheries Institute, Australia, 1, 1.

Ewing, G., Welsford, D., Jordan, A.R. and Buxton, C.D. 2003. 'Validation of age and growth estimates using thin otolith sections from the purple wrasse, *Notolabrus fucicola*', *Marine and Freshwater Research*, 54 (8) 985-993.

Fehling, J., Davidson, K. and Bolch, C.J.S. 2003. 'Abundance and distribution of *Pseudonitzschia* spp. on a transect from the western Scottish coast to rockall (Atlantic ocean)', *Book of Abstracts*, St. Pete Beach, Florida, USA, 89.

Fielder, D.S. 2003. 'Improvement of intensive larval rearing and evaluation of inland saline groundwater for aquaculture of snapper, *Pagrus auratus*', PhD Thesis.

Frusher, S.D., Eaton, L. and Bradshaw, M.B. 2003. 'Impact of Management Change to an ITQ System in the Tasmanian Rock Lobster Fishery', FRDC Final Report, Tasmania, Australia, July 2003.

Frusher, S.D., Gardner, C., Mackinnon, C.J. and Haddon, M. 2003a. 'Summary of the 2001/2001 rock lobster assessment', *Fishing Today*, Turtle Press, Tasmania, Australia, 16, 2.

Frusher, S.D., Gardner, C., Mackinnon, C.J. and Haddon, M. 2003b. 'Tasmanian Rock Lobster Fishery 2001/2002', *Fishery Assessment Report*, Tasmanian Aquaculture and Fisheries Institute, Australia, March 2003.

- Frusher, S.D. and Hoenig, J., 'Recent developments in estimating fishing and natural mortality and tag reporting rate of lobsters using multi-year tagging models', *Fisheries Research*, 65 (1) 379-390.
- Frusher, S.D., Hoenig, J. and Gardner, C. 2003. 'Have changes in selectivity masked recruitment declines in crustacean trap fisheries?', *Fisheries Research*, 65 (1) 467-474.
- Frusher, S.D., Mackinnon, C.J. and Phillips, A. 2003. *Assessment of Broad Scale Exploitation Rates and Biomass Estimates for the Tasmanian Southern Rock Lobster Fishery*, FRDC Final Report.
- Frusher, S.D., Semmens, J.M., Hodgson, K., Pecl, G.T., Gardner, C., Harrington, J., Tracey, S., and Jackson, G.D. 2003. 'Use of acoustic technology to track animal movements in S-E Tasmania', *Fishing Today*, Turtle Press, Tasmania, Australia, 16, 2.
- Fulton, E.A., Smith, A.D.M. and Johnson, C.R. 2003. 'Mortality and predation in ecosystem models: is it important how these are expressed?', *Ecological Modelling* (169) 157-178.
- Gardner, C. 2003a. 'Southern Rock Lobster Aquaculture', *Hatchery International*, AquaPress, USA, 1, July/August.
- Gardner, C. 2003b. 'Southern rock lobster culture makes progress', *Austasia Aquaculture*, Turtle Press, Tasmania, Australia, 17, 2.
- Gardner, C., Bermudes, M.F.M. and Mackinnon, C.J. 2003. 'Tasmanian Giant Crab Fishery 2001/2002', *Fishery Assessment Report*, Tasmanian Aquaculture and Fisheries Institute, Australia, January 2003.
- Gardner, C. and Welsford, D. 2003. 'Development of juvenile Australian giant crabs, (*Pseudocarcinus gigas* Lamarck, 1818) (Decapoda: Oziidae), reared in the laboratory', *Australian Journal of Zoology*, 51 (2) 285-295.
- Gardner, C., S. Frusher, M. Haddon, C. Buxton. (2003). "Movements of the southern rock lobster *Jasus edwardsii* in Tasmania, Australia." *Bulletin of Marine Science* 73(3): 653-671.
- Girling, P.J., Purser, G.J. and Nowak, B.F. 2003. 'Effects of acute salinity and water quality changes on juvenile greenback flounder, *Rhombosolea tapirina* (Gunther, 1862)', *Acta Ichthyologica et Piscatoria*, 33 1-16.
- Green, D.H., Blackburn, S.I., Llewellyn, E., Negri, A.P. and Bolch, C.J.S. 2003. 'Themes and functions of the bacteria associated with *Gymnodinium catenatum*.', *Book of Abstracts*, St.Pete Beach, Florida, USA, 115.

Green, T.J., Powell, M.D. and Harris, J.O. 2003. 'Toxicity of tannic acid and its derivative products on the growth rate of *Neoparamoeba pemaquidensis*', *ANZSCPB Proceedings*, University of Tasmania, Hobart, 21.

Green, T.J., Powell, M.D., Harris, J.O. and Butler, R. 2003. 'Exploitation of water chemistry for the treatment of amoebic gill disease', *Aquafin CRC Conference 2003 Proceedings*, Adelaide, South Australia, 16.

Gross, K.A., Bridle, A.R., Butler, R., Morrison, R.N. and Nowak, B.F. 2003a. 'Potential for immunomodulation to control Amoebic Gill Disease in Atlantic salmon', *The Third Scientific Conference of the Atlantic Salmon Aquaculture Subprogram Handbook*, Hobart, 36-37.

Gross, K.A., Bridle, A.R., Butler, R., Morrison, R.N. and Nowak, B.F. 2003b. 'Potential for immunomodulation to control amoebic gill disease in Atlantic salmon', *3rd International Symposium on Fish Vaccinology Programme and Abstracts*, Bergen, Norway, 88.

Gross, K.A., Butler, R. and Nowak, B.F. 2003. 'Susceptibility and immune response of Atlantic salmon (*Salmo salar*) to *Neoparamoeba pemaquidensis* challenge following initial infection and treatment', *The Third Scientific Conference of the Atlantic Salmon Aquaculture Subprogram Handbook*, Hobart, 38-39.

Gross, K.A., Morrison, R.N., Butler, R. and Nowak, B.F. 2003. 'Susceptibility and immune response of Atlantic salmon (*salmo salar* L.) to *neoparamoeba pemaquidensis* challenge following initial infection and treatment', *Abstracts, 11th International Conference of the EAAP*, Malta, P-24.

Gross, K.A., Morrison, R.N. and Nowak, B.F. 2003. 'The immune response of Atlantic salmon (*salmo salar* L.) against *neoparamoeba pemaquidensis*', *Abstracts, 11th International Conference of the EAAP*, Malta, P-186.

Gross, K.A., Morrison, R.N., Powell, M.D. and Nowak, B.F. 2003. 'Susceptibility and immune response of Atlantic salmon (*Salmo salar* L.) to *Neoparamoeba pemaquidensis* challenge following initial infection and treatment', *Aquafin CRC Conference 2003 Proceedings*, Adelaide, South Australia, 54.

Grossel, G.W., Dykova, I., Handler, J.H. and Munday, B.L. 2003. '*Pentacapsula neurophila* sp.n (Multivalvulida) from the central nervous system of striped trumpeter, *Latris lineata* (Forster)', *Journal of Fish Diseases*, 26 (6) 315-320.

Haddon, M., Buxton, C.D., Gardner, C. and Barrett, N.S. 2003a. 'Modelling the effect of introducing MPAs in a commercial fishery: A rock lobster example', *Aquatic Protected Areas - what works best and how do we know?*, Cairns, Australia, 428-436.

- Haddon, M., Buxton, C.D., Gardner, C. and Barrett, N.S. 2003b. 'The effect of introducing MPA's on a commercial fishery - a rock lobster example', *Fishing Today*, Turtle Press, Tasmania, Australia, 16, 1.
- Halley, V.L., Eriksson, M. and Nunez, M. 2003. 'Frost Prevention and Prediction of Temperatures and Cooling rates using GIS', *Australian Geographical Studies*, 41 (3) 287-302.
- Harris, J.O., Leef, M.J. and Powell, M.D. 2003. 'Metabolic rate comparisons between Atlantic salmon, *Salmo salar*, infected with *Neoparamoeba pemaquidensis* or *Tenacibaculum maritimum*', *ANZSCPB Proceedings*, University of Tasmania, Hobart, 23.
- Harris, J.O., Powell, M.D. and Leef, M.J. 2003. 'Limited physiological impact on atlantic salmon, *Salmo salar*, from the use of chloramine-T in seawater', *International Congress of Comparative Physiology and Biochemistry Supplement 2003*, La Trobe University, Mt Buller, Victoria, Aust., 21.
- Henry, G.W. and Lyle, J. 2003. 'The National Recreational and Indigenous Fishing Survey', *NSW Fisheries Final Report Series*, NSW Fisheries, Australia, 48, October 2003.
- Hilder, M.L. and Pankhurst, N.W. 2003. 'Evidence that temperature change cues reproductive development in the spiny damselfish, *Acanthochromis polyacanthus*', *Environmental Biology of Fishes*, 66 187-196.
- Jackson, G.D. and Pecl, G.T. 2003. 'The dynamics of the summer-spawning population of the loliginid squid (*Sepioteuthis australis*) in Tasmania, Australia - a conveyor belt of recruits', *ICES Journal of Marine Science*, 60 (2) 290-296.
- Johns, M.R. and Powell, M.D. 2003. 'Physiological effects of hypercapnia upon the southern rock lobster (*Jasus edwardsii*)', *International Congress of Comparative Physiology and Biochemistry Supplement 2003*, La Trobe University, Mt Buller, Victoria, Aust., 15.
- Johnston, D.J. 2003. 'Ontogenetic changes in digestive enzyme activity of the spiny lobster, *Jasus edwardsii* (Decapoda; Palinuridae)', *Marine Biology*, 143 1071-1082.
- Johnston, D.J., Calvert, K.A., Crear, B.J. and Carter, C.G. 2003. 'Dietary carbohydrate/lipid ratios and nutritional condition in juvenile southern rock lobster, *Jasus edwardsii*', *Aquaculture*, 220 667-682.
- Jones, M. 2003. 'Transportation of striped trumpeter (*Latris lineata*) eggs and embryos', PhD Thesis.

Jordan, A.R. 2003. 'SEAMAP Tasmania - an update on mapping seabed habitats of Tasmania', *Fishing Today*, Turtle Press, Tasmania, Australia, 16, 2.

Jordan, A.R. and Barrett, N.S. 2003. 'Role of habitat mapping in marine protected area planning - a case study in the Bruny Bioregion, Tasmania', *Aquatic Protected Areas - what works best and how do we know?*, Cairns, Australia, 250-260.

Jordan, A.R., Lawler, M.M. and Halley, V.L. 2003. 'The application of seabed habitat mapping for multiple marine resource management in Tasmanian coastal waters', *Coastal GIS 2003 - an integrated approach to Australian coastal issues*, University of Wollongong, 139-155.

Jordan, A.R., Samson, C., Lawler, M.M. and Halley, V.L. 2003. *Assessment of seabed habitats and heavy metals in Cornelian Bay*, DPIWE Contract Report, 18.

Katersky, R.S. and Carter, C.G. 2003. 'Protein turnover in juvenile barramundi, *Lates calcarifer* at different temperatures', *Proceedings of The Nutritional Society of Australia*, Hobart, Tasmania, S32.

Kelleher, D.L., Harris, J.O. and Powell, M.D. 2003. 'The toxicity of chloramine-T in marine conditions', *Aquafin CRC Conference 2003 Proceedings*, Adelaide, South Australia, 17.

King, H.R. and Pankhurst, N.W. 2003. 'Ovarian growth and plasma sex steroid and vitellogenin profiles during vitellogenesis in Tasmanian female Atlantic salmon (*Salmo salar*)', *Aquaculture*, 219 797-813.

King, H.R., Pankhurst, N.W., Watts, M. and Pankhurst, P.M. 2003. 'Effect of elevated summer temperatures on gonadal steroid production, vitellogenesis and egg quality in female Atlantic salmon', *Journal of Fish Biology*, 63 153-167.

Kroon, F.J., Munday, P.L. and Pankhurst, N.W. 2003. 'Steroid hormone levels and bi-directional sex change in *Gobiodon histrio*', *Journal of Fish Biology*, 62 153-167.

Latour, R., Hoenig, J., Hepworth, D. and Frusher, S.D. 2003. 'A novel tag-recovery model with two size classes for estimating fishing and natural mortality, with implications for the southern rock lobster (*Jasus edwardsii*) in Tasmania, Australia', *ICES Journal of Marine Science*, 60 (5) 1075-1085.

Leef, M.J., Harris, J.O. and Powell, M.D. 2003a. 'Increased systemic vascular resistance in Atlantic salmon *Salmo salar* affected with amoebic gill disease', *ANZSCPB Proceedings*, University of Tasmania, Hobart, 23.

Leef, M.J., Harris, J.O. and Powell, M.D. 2003b. 'The cardio-respiratory effects of amoebic gill disease (AGD) in Atlantic salmon', *Book of Abstract EAFP*, St Julians, Malta.

- Leef, M.J., Harris, J.O. and Powell, M.D. 2003c. 'The cardio-respiratory effects of amoebic gill disease in Atlantic salmon', *Aquafin CRC Conference 2003 Proceedings*, Adelaide, South Australia, 11-12.
- Leef, M.J., Harris, J.O. and Powell, M.D. 2003d. 'The respiratory effects of amoebic gill disease in Atlantic salmon', *ANZSCP Proceedings*, University of Tasmania, Hobart, 96.
- Leonard, M., Handler, J.H. and Powell, M.D. 2003. 'Spionid mudworm infestation of farmed abalone (*Haliotis* spp.)', *Aquaculture*, 221 85-96.
- Linton, L., Thomas, C.W. and Sachlikidis, N. 2003. *A review of Artemia hatching and rearing techniques practiced at the rock lobster enhancement and aquaculture subprogram facilities. Project No. 2000/214*, FRDC Final Report.
- Lleonart, M., Handler, J.H. and Powell, M.D. 2003. 'Treatment of spionid mud worm (*Boccardia knoxi* Rainer) infestation of cultured abalone', *Aquaculture*, 217 1-10.
- Lopez, H., Powell, M.D. and Purser, G.J. 2003. 'The effect of water quality on the physiology of pot-bellied seahorses, *Hippocampus abdominalis* under various live transport conditions', *International Congress of Comparative Physiology and Biochemistry Supplement 2003*, La Trobe University, Mt Buller, Victoria, Australia, 22.
- Lyle, J. 2003a. 'Evaluating performance indicators for banded morwong and wrasse', *Fishing Today*, Turtle Press, Tasmania, Australia, 16, 1.
- Lyle, J. 2003b. 'Key findings of the National Fishing Recreational Survey', *Fishing Today*, Turtle Press, Tasmania, Australia, 16, 5.
- Lyle, J. 2003c. 'Tasmanian Scalefish Fishery - 2002', *TAFI Fishery Assessment Report*, Tasmanian Aquaculture and Fisheries Institute, Tasmania, Australia, July 2003.
- Mansell, B.A., Nowak, B.F., Powell, M.D. and Ernst, I. 2003. 'Pathology and treatment of gill fluke infestation of yellow tail kingfish (*Seriola lalandi*)', *Aquafin CRC Conference 2003 Proceedings*, Adelaide, South Australia, 56.
- MCausland, M.A. 2003. 'Ecophysiology and competitive ability of *Anabaena circinalis*, a bloom-forming cyanobacterium'.
- McWilliam, H., Powell, M.D. and Toop, T. 2003. 'The effect of amoebic gill disease and other stressors on natriuretic peptide receptor activity in the gills of Atlantic salmon, *Salmo salar*', *ANZSCP Proceedings*, University of Tasmania, Hobart, 31.
- Mills, D. 2003a. 'Lobsters returned to the wild', *R&D News*, FRDC, Australia, 11, 1.
- Mills, D. 2003b. 'Reality TV for Lobsters', *Australian Video Camera and Desktop Video*, Video Camera Publications Pty Ltd, Australia, 13, 5.

Moltschaniwskyj, N.A. and Pecl, G.T. 2003. 'Small-scale spatial and temporal patterns of egg production by the temperate loliginid squid *Sepioteuthis australis*', *Marine Biology*, 142 509-516.

Moltschaniwskyj, N.A., Pecl, G.T., Lyle, J., Haddon, M. and Steer, M.A. 2003. *Population dynamics and reproductive ecology of the southern calamary (Sepioteuthis Australis) in Tasmania*, FRDC Final Report.

Morehead, D.T. and Hart, P.R. 2003a. 'Disinfection of striped trumpeter (*Latris lineata*) eggs with glutaraldehyde', *Aquaculture International*, 11 (3) 255-260.

Morehead, D.T. and Hart, P.R. 2003b. 'Effect of temperature on hatching success and size of striped trumpeter (*Latris lineata*) larvae', *Aquaculture*, 220 (1-4) 595-606.

Morton, A.J. and Lyle, J. 2003. *Preliminary assessment of the recreational gamefish fishery in Tasmania, with particular reference to southern bluefin tuna*, DPIWE Contract Report, 21.

Murphy, R., Crawford, C. and Barmuta, L.A. 2003. *Estuarine Health in Tasmania, Status and Indicators: Water Quality*, Natural Heritage Trust Contract Report, 16.

Nankervis, S., Powell, M.D. and Toop, T. 2003. 'Messenger RNA expression of natriuretic peptide receptors in freshwater and seawater rainbow trout gills', *ANZSCPB Proceedings*, University of Tasmania, Hobart, 31.

Negri, A., Stirling, D., Quilliam, M., Blackburn, S., Bolch, C.J.S., Burton, I., Eaglesham, G., Thomas, K., Walter, J. and Willis, R. 2003. 'Three novel hydroxybenzoate saxitoxin analogues isolated from the Dinoflagellate *Gymnodinium catenatum*', *Chemical Research in Toxicology*, 16 1029-1033.

Nelson, M.D., Dunstan, G.A., Nichols, P.D., Brown, M.R. and Ritar, A.J. 2003. 'PUFA enrichment of *Artemia* and subsequent starvation: Preliminary findings: analyses undertaken by CSIRO MR as part of CSIRO MR/TAFI collaboration within FRDC Project', *Internal Report 03-SF1*, CSIRO, Australia, April 2003.

Nelson, M.M., Crear, B.J., Nichols, P.D. and Ritz, D.A. 2003. 'Feeding southern rock lobster, *Jasus edwardsii* Hutton, 1875, phyllosmata in culture: recent progress with lipid-enriched *Artemia*', *Journal of Shellfish Research*, 22 (1) 225-233.

Nowak, B.F. 2003a. 'AGD research in Aquafin CRC - where to next?', *The Third Scientific Conference of the Atlantic Salmon Aquaculture Subprogram Handbook*, Hobart, 45-46.

Nowak, B.F. 2003b. 'Health risks in tuna culture', *Abstracts, 11th International Conference of the EAFF*, Malta, Workshop 5.

- Nowak, B.F. and Kingsford, M.J. 2003. 'Exposure to Thiodan® results in lipofuscin accumulation in hepatocytes of the freshwater catfish *Tandanus tandanus*', *Diseases of Aquatic Organisms*, 56 135-143.
- Nowak, B.F., Rough, K., Ellis, D., Crane, M., Cameron, A. and Clarke, S. 2003. *A risk assessment of factors influencing the health of southern bluefin tuna*, Aquafin CRC Contract Report.
- Oliver, M., Gardner, C., Mills, D. and MacDiarmid, A. 2003. 'The high tech world of lobster surveillance', *Water and Atmosphere*, NIWA, New Zealand, 11, 4.
- Pederson, H.G. 2003. 'Population dynamics of the sea urchin *Heliocidris erythroramma* on the east coast of Tasmania', PhD Thesis.
- Phillips, B., Melville-Smith, R., Rossbach, M., Cheng, Y., Caputi, N., Thomson, A., Mills, D. and Crear, B.J. 2003. 'Towards establishing techniques for large scale harvesting of pueruli and obtaining a better understanding of mortality rates', *Fisheries Research Report*, Department of Fisheries - Western Australia, Australia, February 2003.
- Powell, M.D. 2003. 'Pathophysiology and treatment of amoebic gill disease - future solutions', *Aquafin CRC Conference 2003 Proceedings*, Adelaide, South Australia, 45.
- Powell, M.D. and Clark, G.A. 2003. 'In vitro survival and the effect of water chemistry and oxidative chemical treatments on isolated gill amoebae from AGD-affected Atlantic salmon', *Aquaculture*, 220 135-144.
- Powell, M.D., Harris, J.O., Attard, M., Green, T.J., DeHayr, L. and Roberts, S.B. 2003. 'Semi-commercial use of chlorammine-T as an effective treatment of AGD in farmed Tasmanian Atlantic salmon, *Salmo salar*) L', *The Third Scientific Conference of the Atlantic Salmon Aquaculture Subprogram*, CSIRO, Hobart, Tasmania, 51.
- Powell, M.D., Harris, J.O., Attard, M., Green, T.J., Plaisted, C.A. and Roberts, S.B. 2003. 'Towards developing treatments for amoebic gill disease in Atlantic salmon: the past, present and future', *The Third Scientific Conference of the Atlantic Salmon Aquaculture Subprogram*, CSIRO, Hobart, Tasmania, 49.
- Powell, M.D. and Nowak, B.F. 2003. 'Acid-base and respiratory effects of confinement in Atlantic salmon affected with amoebic gill disease', *Journal of Fish Biology*, 62 51-63.
- Purser, G.J. and Forteach, G.N. 2003. 'Salmonids', *Aquaculture Farming Aquatic Animals and Plants*, Blackwell Publishing Asia Pty Ltd, John Lucas and Paul Southgate (ed), Carlton, 295-320.
- Ramofafia, C., Byrne, M. and Battaglione, S.C. 2003a. 'Development of three commercial sea cucumbers, *Holothuria scabra*, *H.fuscogilva* and *Actinopyga mauritiana*: larval structure and growth', *Marine and Freshwater Research*, 54 (5) 657-667.

- Ramofafia, C., Byrne, M. and Battaglione, S.C. 2003b. 'Reproduction of the commercial sea cucumber *Holothuria scabra* (Echinodermata: Holothuroidea) in the Solomon Islands', *Marine Biology*, 142 (2) 281-3162.
- Ritar, A.J., Dunstan, G.A., Crear, B.J. and Brown, M.R. 2003. 'Biochemical composition during growth and starvation of early larval stages of cultured spiny lobster (*Jasus edwardsii*) phyllosoma', *Comparative Biochemistry and Physiology Part A*, 136 (2) 353-370.
- Ritar, A.J., Smith, G.G., Dunstan, G.A., Brown, M.R. and Hart, P.R. 2003. 'Artemia prey size and mode of presentation: Effects on the survival and growth of phyllosoma larvae of southern rock lobster (*Jasus edwardsii*)', *Aquaculture International*, 11 (1-2) 163-182.
- Ritz, D.A., Swadling, K.M., Hosie, G. and Cazassus, F.M. 2003. *Guide to Zooplankton of south eastern Australia*, Fauna of Tasmania Committee, Hobart, 90.
- Roberts, S.D. and Powell, M.D., 2003a. 'Comparative measures of the mucous layer of salmonids: effects of AGD and treatments', *The Third Scientific Conference of the Atlantic Salmon Aquaculture Subprogram*, CSIRO, Hobart, Tasmania, 53.
- Roberts, S.D. and Powell, M.D. 2003b. 'Comparative ionic flux and gill mucous cell histochemistry: effects of salinity and disease status in Atlantic salmon (*Salmo salar L*)', *Comparative Biochemistry and Physiology Part A*, 134 (1) 525-537.
- Roberts, S.D. and Powell, M.D. 2003c. 'Improved and novel alternative treatments for amoebic gill disease (AGD) in Atlantic salmon', *Book of Abstract EAAP*, St Julians, Malta.
- Roberts, S.D. and Powell, M.D. 2003d. 'Improved and novel alternative treatments for amoebic gill disease in Atlantic salmon (*Salmo salar*)', *Aquafin CRC Conference 2003 Proceedings*, Adelaide, South Australia, 9-10.
- Roberts, S.D. and Powell, M.D. 2003e. 'Mucology: comparative viscosity and biochemical measures of the mucous layer of Atlantic salmon and rainbow trout', *International Congress of Comparative Physiology and Biochemistry Supplement 2003*, La Trobe University, Mt Buller, Victoria, Aust., 23.
- Roberts, S.D. and Powell, M.D. 2003f. 'Reduced total hardness of fresh water enhances the efficacy of bathing as a treatment for amoebic gill disease in Atlantic salmon, *Salmo salar L*', *Journal of Fish Diseases*, 26 591-599.
- Sajjadi, M. and Carter, C.G. 2003. 'Dietary phytase supplementation and the utilisation of phosphorus by Atlantic salmon (*Salmo salar L.*) fed a canola meal-based diet', *Proceedings of The Nutritional Society of Australia*, Hobart, Tasmania, S32.

Salindeho, I.R.N. and Johnston, D.J. 2003. 'Functional morphology of the mouthparts and proventriculus of the rock crab *Nectocarcinus tuberculatus* (Decapoda: Portunidae)', *Journal of the Marine Biological Association UK*, 83 821-834.

Shapawi, R., and Purser, G.J. 2003. 'The value of enriched *Artemia* in supporting growth and survival of juvenile pot-bellied seahorses *Hippocampus abdominalis*', *Journal of the World Aquaculture Society*, 34 (4) 533-541.

Shaw, G.W., Pankhurst, P.M. and Purser, G.J. 2003. 'Prey selection by greenback flounder *Rhombosolea tapirina* (Gunther) larvae', *Aquaculture*, 228 249-265.

Smith, E.G., Ritar, A.J., Carter, C.G., Dunstan, G.A. and Brown, M.R. 2003. 'Morphological and biochemical characteristics of phyllosoma after photothermal manipulation of reproduction in broodstock of the spiny lobster, *Jasus edwardsii*', *Aquaculture*, 220 (1-4) 299-311.

Smith, G.G., Ritar, A.J. and Dunstan, G.A. 2003. 'An activity test to evaluate larval competency in spiny lobsters (*Jasus edwardsii*) from wild and captive ovigerous broodstock held under different environmental conditions', *Aquaculture*, 218 (1-4) 293-307.

Smith, G.G., Thompson, P.A., Ritar, A.J. and Dunstan, G.A. 2003. 'Effects of starvation and feeding on the fatty acid profiles of Stage I phyllosoma of the spiny lobster, *Jasus edwardsii*', *Aquaculture Research*, 34 (5) 419-426.

Steer, M.A., Moltschaniwskyj, N.A. and Jordan, A.R. 2003. 'Embryonic development of southern calamary (*Sepioteuthis australis*) within the constraints of an aggregated egg mass', *Marine and Freshwater Research*, 54 217-226.

Steer, M.A., Pecl, G.T. and Moltschaniwskyj, N.A. 2003. 'Are bigger calamary *Sepioteuthis australis* hatchlings more likely to survive? A study based on statolith dimensions', *Marine Ecology Progress Series*, 261 175-182.

Suplicy, F.M., Schmitt, J.F., Moltschaniwskyj, N.A. and Ferreira, J.F. 2003. 'Modeling of filter-feeding behavior in the brown mussel, *Perna perna* (L.), exposed to natural variations of seston availability in Santa Catarina, Brazil', *Journal of Shellfish Research*, 22 (1) 125-134.

Tarbath, D. 2003. 'Population parameters of the blacklip abalone (*Haliotis rubra* Leach) at the Acteons in south-east Tasmania', PhD Thesis.

Tarbath, D., Mundy, C. and Haddon, M. 2003. 'Tasmanian Abalone Fishery 2002', *Fishery Assessment Report*, Tasmanian Aquaculture and Fisheries Institute, Australia, May 2003.

- Tarbath, D. and Officer, R. 2003. *Size limits and yields for blacklip abalone in northern Tasmania*, DPIWE Contract Report, 17.
- Thomas, C.W., Carter, C.G. and Crear, B.J. 2003. 'Feed availability and its relationship to survival, growth, dominance and the agonistic behaviour of the southern rock lobster, *Jasus edwardsii* in captivity', *Aquaculture* 45-65.
- Thomas, C.W., Smith, E.G., Wilkinson, C.W. and Ritar, A.J. 2003. 'Hatchery procedures for the southern rock lobster (*Jasus edwardsii*) at the marine research laboratories', *Internal Report*, Tasmanian Aquaculture and Fisheries Institute, Tasmania, Australia, July 2003.
- Thomas, P.M., Carter, C.G., Carragher, J.F. and Glencross, B.D. 2003. 'Preliminary information on temporal changes in the blood chemistry of farmed southern bluefin tuna, *Thunnus maccoyi* (Castellnau), after feeding and repeated sampling disturbance', *Aquaculture Research*, 34 265-267.
- Tolomei, A.J., Crear, B.J. and Johnston, D.J. 2003. 'Diet immersion time: effects on growth, survival and feeding behaviour of juvenile southern rock lobster, *Jasus edwardsii*', *Aquaculture*, 219 303-316.
- Tracey, S., Steer, M.A., Pecl, G.T. 2003. 'Life history traits of the temperate mini-maximalist *Idiosepius notoides*, (Cephalopoda: Sepioidea)', *Journal of the Marine Biological Association of the United Kingdom*, 83 (6) 1297-1300.
- Trotter, A.J. 2003. 'Swim bladder development and buoyancy control in cultured striped trumpeter (*Latris lineata*) larvae', PhD Thesis.
- Trotter, A.J., Battaglione, S.C. and Pankhurst, P.M. 2003. 'Effects of photoperiod and light intensity on initial swim bladder inflation, growth and post-inflation viability in cultured striped trumpeter (*Latris lineata*) larvae', *Aquaculture*, 224 141-158.
- Trotter, A.J., Pankhurst, P.M., Morehead, D.T. and Battaglione, S.C. 2003. 'Effects of temperature on initial swim bladder inflation and related development in cultured striped trumpeter (*Latris lineata*) larvae', *Aquaculture*, 221 (1-4) 141-156.
- Valentine, J.P. 2003. 'Establishment and persistence of dense stand of the introduced kelp *Undaria pinnatifida*', PhD Thesis.
- Van Gelderen, R. and Powell, M.D. 2003. 'Flexible disease of salmonids', *International Congress of Comparative Physiology and Biochemistry Supplement 2003*, La Trobe University, Mt Buller, Victoria, Australia, 24.
- Walker, J.C., Gardner, C. and Musgrove, R. 2003a. 'Shell hardness made simple', *The Lobster Newsletter*, Old Dominion University, USA, 16, 1.

- Walker, J.C., Gardner, C. and Musgrove, R. 2003b. 'Shell hardness made simple!', *Fishing Today*, Turtle Press, Tasmania, Australia, 15, 6.
- Ward, L.R., Carter, C.G., Crear, B.J., Nichols, P.D. and Johnston, D.J. 2003. 'Relationships between growth and retention of dietary lipids in juvenile southern rock lobster *Jasus edwardsii*', *Proceedings of The Nutritional Society of Australia*, Hobart, Tasmania, S33.
- Ward, L.R., Carter, C.G., Crear, B.J. and Smith, D.M. 2003. 'Optimal dietary protein level for juvenile southern rock lobster, *Jasus edwardsii* at two lipid levels', *Aquaculture*, 217 483-500.
- Watts, M., Kato, K., Munday, B.L. and Burke, C.M. 2003. 'Ontogeny of immune system organs in northern bluefin tuna (*Thunnus orientalis*, Temminck and Schlegel 1844)', *Aquaculture Research*, 34 13-21.
- Welsford, D. 2003a. 'Early life history, settlement dynamics and growth of the temperate wrasse, *Notolabrus fucicola* (Richardson 1840), on the east coast of Tasmania', PhD Thesis.
- Welsford, D. 2003b. 'Interpretation of otolith microstructure in the early life history stages of two temperate reef wrasses (Labridae)', *Marine and Freshwater Research*, 54 (1) 69-75.
- Welsford, D. and Lyle, J. 2003a. 'Redbait and the Zone A small pelagics fishery', *Fishing Today*, Turtle Press, Tasmania, Australia, 16, 3.
- Welsford, D. and Lyle, J. 2003b. *Redbait (Emmelichthys nitidus): a synopsis of fishery and biological data*, DPIWE Contract Report, 20.
- Wildish, D.J., Hargrave, B.T., MacLeod, C. and Crawford, C. 2003. 'Detection of organic enrichment near finfish net-pens by sediment profile imaging at SCUBA-accessible depths', *Journal of Experimental Marine Biology and Ecology*, 285 403-413.
- Wilson, T.K. and Carson, J. 2003. 'Development of sensitive, high-throughput one-tube RT-PCR-enzyme hybridisation assay to detect selected bacterial fish pathogens', *Diseases of Aquatic Organisms*, 54 (2) 127-134.
- Ziegler, P.E., Frusher, S.D. and Johnson, C.R. 2003. 'Space-time variation in catchability of southern rock lobster *Jasus edwardsii* in Tasmania explained by environmental, physiological and density-dependent processes', *Fisheries Research* (61) 107-123.