

2005 TAFI Publications

Al-Marzouqi, A, Frusher, SD, Gardner, C, 'Oman's Marine Fisheries', *Proceedings of the first Indian Ocean Marine Environment Conference: linking Science, Engineering and Management*, Perth, Western Australia, 14 (2005) [F3]

Baker, JL, Edgar, GJ, Barrett, NS, 'Subtidal macroflora of Althorpe and Haystack Islands, South Australia', *Transactions of the Royal Society of South Australia*, **129** (2) 183-192 (2005) [A1]

Battaglione, SC, 'Invitation to chair major international conference session. Various aquaculture contributed. International World Aquaculture Society Conference Bali', *CD of the proceedings and online*, Bali, Indonesia (2005) [F5]

Battaglione, SC, 'Invitation to chair major national conference session. Farming New Fish Species', *Proceedings of the Aquafin CRC conference*, Hobart, Tasmania, 32 (2005) [F6]

Battaglione, SC, Bransden, MP, Goldsmid, RM, 'Improvements and long-term trends in striped trumpeter *Latris lineata* captive spawning', *CD of the proceedings and online*, Bali, Indonesia, 685 (2005) [F3]

Battaglione, SC, Kolkovski, S, 'A review of new and emerging temperate marine fin-fish species for farming in Australia: challenges in larval rearing', *European Aquaculture Society, Special Publication*, Gent, Belgium, 19-20 (2005) [F3]

Bermudes, MFM, Ritar, AJ, 'Development and metabolic rate of stage I spiny lobster (*Jasus edwardsii*) larvae under constant and fluctuating salinities', *New Zealand Journal of Marine and Freshwater Research*, **39** (2) 243-249 (2005) [A1]

Bissett, AP, Gibson, JAE, Jarman, S, Swadling, K, Cromer, L, 'Isolation, amplifications, and identification of ancient copepod DNA for lake sediments', *Limnology and Oceanography: Methods*, **3** (December) 533-542 (2005) [A1]

Bissett, AP, Gibson, JAE, Jarman, S, Swadling, K, Cromer, L, 'Isolation, amplifications, and identification of ancient copepod DNA for lake sediments', *Limnology and Oceanography: Methods*, **3** (December) 533-542 (2005) [A1]

Bobbi, Davies, PE, Locher, H, 'Environmental issues associated with Trevallyn Power Station operations', *Proceeding of the 4th Australian Stream Management Conference: linking rivers and landscapes*, Launceston, 84-89 (2005) [F1]

Bransden, MP, Battaglione, SC, Cobcroft, JM, Dunstan, GA, Morehead, DT, Nichols, PD, Bell, JG, 'Investigating the fatty acid requirements of larval striped trumpeter *Latris lineata* during the live feeding period and using dose-response techniques', *European Aquaculture Society, Special Publication*, Gent, Belgium, 54-55 (2005) [F3]

Brandsden, MP, Battaglione, SC, Morehead, DT, Dunstan, GA, Nichols, PD, 'Effect of dietary 22:6n-3 on growth, survival and tissue fatty acid profile of striped trumpeter (*Latris lineata*) larvae fed enriched *Artemia*', *Aquaculture*, **243** 331-344 (2005) [A1]

Brandsden, MP, Butterfield, GM, Walden, J, McEvoy, LA, Bell, JG, 'Tank colour and dietary arachidonic acid affects pigmentation, eicosanoid production and tissue fatty acid profile of larval Atlantic cod (*Gadus morhua*)', *Aquaculture*, **250** (1-2) 328-340 (2005) [A1]

Brandsden, MP, Cobcroft, JM, Battaglione, SC, Dunstan, GA, Nichols, PD, Bell, JG, Brown, MR, 'Dietary arachidonic acid alters tissue fatty acid profile, whole body eicosanoid production and resistance to hypersaline challenge in larvae of the temperate marine fish, striped trumpeter (*Latris lineata*)', *Fish Physiology Biochemistry*, **30** (3-4) 241-256 (2005) [A1]

Brandsden, MP, Cobcroft, JM, Battaglione, SC, Morehead, DT, Dunstan, GA, Nichols, PD, Kolkovski, S, 'Dietary 22:6n-3 alters gut and liver structure and behaviour in larval striped trumpeter (*Latris lineata*)', *Aquaculture*, **248** 275-285 (2005) [A1]

Bridle, AR, Carter, CG, Morrison, RN, Nowak, BF, 'The effect of β -glucan administration on macrophage respiratory burst activity and Atlantic salmon, *Salmo salar* L., challenged with amoebic gill disease - evidence of inherent resistance', *Journal of Fish Diseases*, **28** 347-356 (2005) [A1]

Brown, MR, Battaglione, SC, Morehead, DT, Brock, M, 'Ontogenetic changes in amino acid and vitamins during early larval stages of striped trumpeter (*Latris lineata*)', *Aquaculture*, **248** 263-274 (2005) [A1]

Brown, MR, Dunstan, GA, Nichols, PD, Battaglione, SC, Morehead, DT, Overweter, AL, 'Effects of α -tocopherol supplementation of rotifers on the growth of striped trumpeter *Latris lineata* larvae', *Aquaculture*, **246** 367-378 (2005) [A1]

Browne, A, *Monitoring marine mammals in the Small Pelagics Fishery: Stage 1 Pilot Study. Report to the Australian Fisheries Management Authority*, Australian Fisheries Management Authority (2005) [I1]

Carter, CG, Irwin, K, Barnes, JC, Glencross, B, 'Apparent digestibility and gastrointestinal transit of lupins in Atlantic salmon', *Seeding a Future for Grains in Aquaculture Feeds - Part III. Proceedings of a Workshop*, Fremantle, Western Australia, 39-40 (2005) [F2]

Carter, CG, Irwin, K, Barnes, JC, Glencross, B, 'Apparent digestibility and gastrointestinal transit of lupins in Atlantic salmon', *Proceedings of the third workshop for Seeding a Future for Grains in Aquaculture Feeds*, Western Australia, 32-33 (2005) [F4]

Carter, CG, Katersky, RS, Barnes, JC, Irwin, K, Hauler, RC, 'Interactions between temperature and nutrition in Atlantic salmon *Salmo salar* and barramundi *Lates calcarifer*', *Lessons from the Past to Optimise the Future*, Trondheim, 156-157 (2005) [F2]

Carter, CG, Katersky, RS, Barnes, JC, Miller, MR, Irwin, K, Nicols, P, Hauler, R, 'Nutrition at Extreme Temperatures', *Proceedings Aquafin CRC Conference*, Hobart, 27 (2005) [F3]

Chandrapavan, A, Fava, S, Gardner, C, 'Exploring translocation as a management tool to enhance lobster fisheries', *Sixth International Crustacean Conference Abstracts*, Glasgow, Scotland, 113 (2005) [F3]

Cobcroft, JM, Battaglione, SC, Bransden, MP, Gossel, G, 'Management of larval health in cultured striped trumpeter *Latris lineata*', *European Aquaculture Society, Special Publication*, Gent, Belgium, 91-93 (2005) [F3]

Cook, MT, Hayball, PJ, Nowak, BF, Hayball, JD, 'The opsonising activity of a pentraxin-like protein isolated from snapper (*Pagrus auratus*, Sparidae) serum', *Developmental and Comparative Immunology*, **29** 703-712 (2005) [A1]

Crosbie, PBB, MacLeod, C, Forbes, SE, Nowak, BF, 'Distribution of *Neoparamoeba* sp. in sediments around marine finfish farming sites in Tasmania', *Diseases of Aquatic Organisms*, **67** 61-66 (2005) [A1]

Crosbie, PBB, MacLeod, C, Forbes, SE, Nowak, BF, 'Distribution of *Neoparamoeba* sp. in sediments around marine finfish farming sites in Tasmania', *Diseases of Aquatic Organisms*, **67** 61-66 (2005) [A1]

Davies, PE, 'The Tasmanian CFEV Project: An audit of Tasmanian Freshwater ... ecosystems', *Proceedings of the 4th Australian Stream Management Conference: linking rivers to landscapes*, Launceston, 167-172 (2005) [F1]

Davies, PE, Cook, LSJ, McIntosh, PD, Munks, SA, 'Changes in stream biota along a gradient of logging disturbance, 15 years after logging at Ben Nevis, Tasmania', *Forest Ecology and Management* (219) 132-148 (2005) [A1]

Davies, PE, Cook, LSJ, Munks, SA, Meggs, JM, 'Astacopsis gouldi Clark: habitat characteristics and relative abundance of juveniles', *Tasforests*, **16** 1-17 (2005) [A2]

Davies, PE, Long, J, Brown, M, Dunn, H, Heffer, D, Knight, R, 'The Tasmanian Conservation of Freshwater Ecosystem Values (CFEV) framework: developing a conservation and management system for rivers', *Freshwater Protected Areas: New and existing tools for conserving freshwater ecosystems in Australia*, University of Sydney, 45-50 (2005) [F1]

Davies, PE, McIntosh, PD, Wapstra, M, Bunce, SEH, Cook, LSJ, French, C, Munks, SA, 'Changes to headwater stream morphology, habitats and riparian vegetation recorded 15 years after pre-Forest Practices Code forest clearfelling in upland granite terrain, Tasmania, Australia', *Forest Ecology and Management* (217) 331-350 (2005) [A1]

de Salas, MF, Bolch, CJS, Hallegraeff, GM, 'Karlodinium australe sp. nov. (Gymnodiniales, Dinophyceae), a new potentially ichthyotoxic unarmoured dinoflagellate from lagoonal habitats of south-eastern Australia', *Phycologia*, **44** (6) 640-650 (2005) [A1]

Deagle, BE, Jarman, SN, Pemberton, D, Gales, NJ, 'Genetic Screening for Prey in the Gut Contents from a Giant Squid (*Architeuthis* sp.)', *Journal of Heredity*, **96** (4) 417-423 (2005) [A1]

Deveney, M, Bayly, TJ, Johnston, CJ, Nowak, BF, 'A parasite survey of farmed Southern bluefin tuna, *Thunnus maccoyii* (Castelnau)', *Journal of Fish Diseases*, **28** 279-284 (2005) [A1]

Douglas-Helders, GM, Nowak, BF, Butler, R, 'The effect of environmental factors on the distribution of *Neoparamoeba pemaquidensis* in Tasmania', *Journal of Fish Diseases* (28) 583-592 (2005) [A1]

Douglas-Helders, GM, Saksida, S, Nowak, BF, 'Questionnaire-based risk assessment for amoebic gill disease (AGD) and evaluation of freshwater bathing efficacy of reared Atlantic salmon *Salmo salar*', *Diseases of Aquatic Organisms*, **63** 175-184 (2005) [A1]

Dunstan, PK, Johnson, CR, 'Predicting global dynamics from local interactions: individual-based models predict complex features of marine epibenthic communities', *Ecological Modelling* (186) 221-233 (2005) [A1]

Dykova, I, Nowak, BF, Crosbie, PBB, Fiala, I, Peckova, H, Adams, MB, Machackova, B, Dvorakova, H, 'Neoparamoeba branchiphila n. sp., and related species of the genus *Neoparamoeba* Page, 1987: morphological and molecular characterization of selected strains', *Journal of Fish Diseases*, **28** 49-64 (2005) [A1]

Edgar, GJ, MacLeod, C, Mawbey, RB, Shields, D, 'Broad-scale effects of marine salmonid aquaculture on macrobenthos and the sediment environment in southeastern Tasmania', *Journal of Experimental Marine Biology and Ecology*, **327** 70-90 (2005) [A1]

Edgar, GJ, Samson, CR, Barrett, NS, 'Species extinction in the marine environment: Tasmania as a regional example of overlooked losses in biodiversity', *Conservation Biology*, **19** (4) 1294-1300 (2005) [A1]

Edgar, GJ, Samson, CR, Barrett, NS, 'Species extinction in the marine environment: Tasmania as a regional example of overlooked losses in biodiversity', *Conservation Biology*, **19** (4) 1294-1300 (2005) [A1]

- Ellis, C, Barrett, NS, Schmieman, S, *Impact of cruise ship turbulence on benthic communities. Case study in Tasmania's south-west*, CRC for Sustainable Tourism, Hobart, 56 (2005) [B1]
- Embar-Gopinath, S, Butler, R, Nowak, BF, 'Influence of salmonid gill bacteria on development and severity of amoebic gill disease', *Diseases of Aquatic Organisms*, **67** 55-60 (2005) [A1]
- Embar-Gopinath, S, Crosbie, PBB, Nowak, BF, 'Use of potassium permanganate to disinfect Atlantic salmon (*Salmo salar*) gills', *Bulletin European Association of Fish Pathologists*, **25** (6) 291-296 (2005) [A1]
- Engin, K, Carter, CG, 'Fish meal replacement by plant and animal by-products in diets for the Australian short-finned eel, *Anguilla australis australis* (Richardson)', *Aquaculture Research*, **36** 445-454 (2005) [A1]
- Evans, K, Thresher, R, Warneke, RM, Bradshaw, CJA, Pook, M, Thiele, D, Hindell, MA, 'Periodic variability in cetacean strandings: links to large-scale climate events', *Biology Letters* (2005) [A1]
- Fava, S, 'King Island lobsters are measuring up', *King Island Courier*, R&A Conley, Currie, King Island, 13/8/05 (2005) [O1]
- Fielder, DS, Bardsley, WJ, Allan, GL, Pankhurst, PM, 'The effects of salinity and temperatures on growth and survival of Australian snapper, *Pagrus auratus* larvae', *Aquaculture*, **250** 201-214 (2005) [A1]
- Gardner, C, 'Lobsters on the move for fisheries managers', *Australian Science*, Control Publications, Victoria, September 2005 (2005) [O2]
- Gardner, C, 'So deep and palely loitering', *Canberra Times; Science and Technology Supplement*, Canberra Times, Canberra, 1/8/2005 (2005) [O1]
- Gardner, C, Mills, D, Frusher, SD, 'Does pleopod setation provide a measure of maturity in female southern rock lobsters *Jasus edwardsii*?' , *Scientia Marina*, **69** (1) 123-131 (2005) [A1]
- Goodwin, AE, Park, E, Nowak, BF, 'Successful treatment of largemouth bass, *Micropterus salmoides* (L.), with epitheliocystis hyperinfection', *Journal of Fish Diseases* (28) 623-625 (2005) [A1]
- Green, TJ, Powell, MD, Harris, JO, Butler, R, 'Effects of dissolved organic carbon and hardness in freshwater used to treat amoebic gill disease', *Aquaculture Research*, **36** 398-404 (2005) [A1]

- Gross, KA, Powell, MD, Butler, R, Morrison, RN, Nowak, BF, 'Changes in the innate response of Atlantic salmon, *Salmo salar* L., exposed to experimental infection with *Neoparamoeba* sp', *Journal of Fish Diseases*, **28** 293-299 (2005) [A1]
- Grossel, G, Handler, JH, Battaglione, SC, 'Histopathology of *Kudoa neurophila* in cultured striped trumpeter', *Proceedings of the 20th International Conference of the World Association for the Advancement of Veterinary Parasitology, Christchurch Parasites in the environment N2.1*, Hobart Tas, 200 (2005) [F3]
- Grossel, GW, Handler, JH, Battaglione, SC, Munday, BL, 'Diagnostic polymerase chain reaction assay to detect *Kudoa neurophila* (Myxozoa:Multivalvulida) in a marine finfish hatchery', *Diseases of Aquatic Organisms*, **64** 141-149 (2005) [A1]
- Grossel, GW, Handler, JH, Battaglione, SC, Munday, BL, 'Diagnostic polymerase chain reaction assay to detect *Kudoa neurophila* (Myxozoa:Multivalvulida) in a marine finfish hatchery', *Diseases of Aquatic Organisms*, **64** 141-149 (2005) [A1]
- Grubert, MA, 'Factors influencing the reproductive development and early life history of blacklip (*Haliotis rubra*) and greenlip (*H. laevigata*) abalone' (2005) [M3]
- Grubert, MA, Mundy, CN, Ritar, AJ, 'The effects of sperm density and gamete contact time on the fertilisation success of blacklip (*Haliotis rubra*; Leach, 1814) and greenlip (*H. laevigata*; Donovan, 1808) abalone', *Journal of Shellfish Research*, **24** (2) 407-413 (2005) [A1]
- Grubert, MA, Ritar, AJ, 'The effect of temperature and conditioning interval on the spawning success of wild-caught blacklip (*Haliotis rubra*, Leach 1814) and greenlip (*H. laevigata*, Donovan 1808) abalone', *Aquaculture Research*, **36** (7) 654-665 (2005) [A1]
- Gurney, LJ, Mundy, CN, Porteus, MC, 'Determining age and growth of abalone using stable oxygen isotopes: a tool for fisheries management', *Fisheries Research*, **72** 353-360 (2005) [A1]
- Habeeb, R, 'Estimating Natural Scales of Ecological Systems' (2005) [M3]
- Habeeb, R, Trebilco, J, Wotherspoon, SJ, Johnson, CR, 'Determining natural scales of ecological systems', *Ecological Monographs*, **75** (4) 467-487 (2005) [A1]
- Haddon, M, Harrington, J, Semmens, JM, *Bass Strait central zone scallop survey, March 2005. AFMA Final Report*, Australian Fisheries Management Authority (2005) [I1]
- Hardie, SA, Barmuta, LA, White, RWG, 'Spawning related seasonal variation in fyke net catches of golden galaxias (*Galaxias auratus*): implications for monitoring lacustrine galaxiid populations', *Fisheries Management and Ecology*, **12** 407-409 (2005) [A1]

Hardie, SA, Barmuta, LA, White, RWG, 'Spawning related seasonal variation in fyke net catches of golden galaxias (*Galaxias auratus*): implications for monitoring lacustrine galaxiid populations', *Fisheries Management and Ecology*, **12** 407-409 (2005) [A1]

Harris, J, Burke, CM, Edwards, SJ, Johns, DR, 'Effects of oxygen supersaturation and temperature on juvenile greenlip, *Haliotis laevis* Donovan, and blacklip, *Haliotis rubra* Leach, abalone', *Aquaculture Research*, **36** 1400-1407 (2005) [A1]

Harris, J, Powell, MD, Attard, M, DeHayr, L*, 'Clinical assessment of chloramine-T and freshwater as treatments for the control of gill amoebae in Atlantic salmon, *Salmo salar* L', *Aquaculture Research*, **36** 776-784 (2005) [A1]

Hay, AC, Pankhurst, NW, 'Effect of paired encounters on plasma androgens and behaviour in males and females of the spiny damselfish *Acanthochromis polyacanthus*', *Marine and Freshwater Behaviour and Physiology*, **38** (2) 127-138 (2005) [A1]

Hirst, AJ, Kilpatrick, R, Mount, RE, Guest, MA, Crawford, C, *Biodiversity and Degradation of Estuaries in North-western Tasmania, Cradle Coast NRM Region*, NHT/NAP 46927 (2005) [I1]

Hoppenrath, M, Bolch, CJS, Yoshimatsu, *, Saldarriaga, JF, Schweikert, M, Campbell, CN, Toriumi, S, Dodge, JD, Elbrachter, M, Taylor, FJR, 'Nomenclatural note on a *Thecadinium* species (Dinophyceae, Gonyaulacales), which was described as new independently three times within two months', *Journal of Phycology: an International journal of algal research*, **41** 1284-1286 (2005) [A1]

Jarman, SN, Redd, KS, Gales, NJ, 'Group-specific primers for amplifying DNA sequences that identify Amphipoda, Cephalopoda, Echinodermata, Gastropoda, Isopoda, Ostracoda and Thoracia', *Molecular Ecology Notes* (..) 1-4 (2005) [A1]

Johnston, DJ, Freeman, JA, 'Dietary Preference and Digestive Enzyme Activities as Indicators of Trophic Resource Utilization by Six Species of Crab', *The Biological Bulletin*, **208** 36-46 (2005) [A1]

Johnston, DJ, Moltschanivskyj, NA, Wells, JI, 'Development of the radula and digestive system of juvenile blacklip abalone (*Haliotis rubra*): Potential factors responsible for variable weaning success on artificial diets', *Aquaculture*, **250** 341-355 (2005) [A1]

Johnston, MD, Johnston, DJ, Richardson, AMM, 'Digestive capabilities reflect the major food sources in three species of talitrid amphipods', *Comparative Biochemistry and Physiology B - Biochemistry & Molecular Biology* (140) 251-257 (2005) [A1]

Johnston, MD, Johnston, DJ, Richardson, AMM, 'Digestive capabilities reflect the major food sources in three species of talitrid amphipods', *Comparative Biochemistry and Physiology B - Biochemistry & Molecular Biology* (140) 251-257 (2005) [A1]

- Johnston, NM, Ritz, DA, 'Kin recognition and adoption in mysids (Crustacea: Mysidacea)', *Journal of the Marine Biological Association of the United Kingdom*, **85** 1441-1447 (2005) [A1]
- Jordan, AR, Lawler, MM, Lucieer, VL, Barrett, NS, 'Seabed habitat mapping in the Kent Group of islands and its role in marine protected area planning', *Aquatic Conservation: Marine and Freshwater Ecosystems* (15) 51-70 (2005) [A1]
- Jordan, AR, Lucieer, VL, 'Mapping of seabed habitat in south-east and north-east abalone fishing blocks - an update on SEAMAP Tasmania', *Fishing Today*, Turtle Press P/L, Rosny, Tasmania, **18**, 1 (2005) [O2]
- Jordan, AR, Lucieer, VL, Lawler, MM, *Linking habitat mapping with fisheries in key commercial fishing grounds*, Fisheries Research Development Corporation (2005) [I1]
- Katersky, RS, Carter, CG, 'Growth efficiency of juvenile barramundi, *Lates calcarifer*, at high temperatures', *Aquaculture* (250) 775-780 (2005) [A1]
- Kolkovski, S, Battaglione, SC, 'How is hatchery research meeting industry needs?', *Proceedings of the Aquafin CRC Conference*, Hobart, Tasmania, 32 (2005) [F3]
- Leef, MJ, Harris, J, Hill, JV, Powell, MD, 'Cardiovascular responses of three salmonid species affected with amoebic gill disease (AGD)', *Comparative Biochemistry and Physiology. Part B: Biochemistry & Molecular Biology*, **175** 523-532 (2005) [A1]
- Leef, MJ, Harris, J, Powell, MD, 'Respiratory pathogenesis of amoebic gill disease (AGD) in experimentally infected Atlantic salmon *Salmo salar*', *Diseases of Aquatic Organisms*, **66** 205-213 (2005) [A1]
- Lyle, J, '2000/01 survey of recreational fishing in Tasmania', *TAFI Technical Report*, TAFI, Hobart, **24** (2005) [O5]
- Lyle, J, Haddon, M, Ziegler, PE, Tracey, S, 'Tasmanian Scalefish Fishery - 2004', *TAFI Fishery Assessment Report*, TAFI, Hobart (2005) [O5]
- Lyle, J, Morton, AJ, 'Recreational scallop season a success on all fronts', *Fishing Today*, Arteis Publishing Consultants, Hobart, **18**, 6 (2005) [O2]
- Lyle, J, Morton, AJ, 'Survey of the 2005 Tasmanian recreational scallop fishery', *TAFI Internal Report*, TAFI, Hobart (2005) [O5]
- Lyle, J, Morton, AJ, Forward, J, 'Characterisation of the recreational fishery for southern rock lobster *Jasus edwardsii*, in Tasmania, Australia: implications for management', *New Zealand Journal of Marine and Freshwater Research*, **39** (3) 703-714 (2005) [A1]

Maguire, GB, *Enhancing Tasmanian Clam Resources Final FRDC Project No 1993/232*, Fisheries Research and Development Corporation, 1993/232 (2005) [I1]

Mansell, BW, Powell, MD, Ernst, I, Nowak, BF, 'Effects of the gill monogenean *Zeuxapta seriolae* (Meserve, 1938) and treatment with hydrogen peroxide on pathophysiology of kingfish, *Seriola lalandi* Valenciennes, 1833', *Journal of Fish Diseases*, **28** 253-262 (2005) [A1]

Mansour, MP, Holdsworth, DG, Forbes, SE, MacLeod, C, Volkman, JK, 'High contents of 24:6(n-3) and 20:1(n-13) fatty acids in the brittle star *Amphiura elandiformis* from Tasmanian coastal sediments', *Biochemical Systematics and Ecology*, **33** 659-674 (2005) [A1]

Martin-Smith, KM, Vincent, ACJ, 'Seahorse declines in the Derwent estuary, Tasmania in the absence of fishing pressure', *Biological Conservation* (123) 533-545 (2005) [A1]

Miller, KJ, Mundy, CN, 'In situ fertilisation success in the scleractinian coral *Goniastrea favulus*', *Coral Reefs*, **24** 313-317 (2005) [A1]

Miller, KJ, Mundy, CN, 'In situ fertilisation success in the scleractinian coral *Goniastrea favulus*', *Coral Reefs*, **24** 313-317 (2005) [A1]

Miller, MR, 'Alternate sources of dietary oil for Atlantic salmon grown under Australian conditions', *Linking the region Delegate Handbook*, Perth, Western Australia, 1-4 (2005) [F4]

Miller, MR, Carter, CG, Nichols, P, 'Alternate sources of dietary oil for Atlantic salmon (*Salmo salar*)', *Proceedings of the Nutrition Society of Australia Volume 29*, Melbourne, S61 (2005) [F3]

Miller, MR, Carter, CG, Nichols, P, 'Alternative sources of dietary oil for Atlantic salmon (*Salmo salar*)', *Proceedings of the Nutrition Society of Australia (2005), Volume 29 in conjunction with the Nutrition Society of New Zealand*, Melbourne, 14 (2005) [F4]

Miller, MR, Carter, CG, Nichols, P, Singh, S, Zhou, S, Green, S, *Feedstuffs for Aquaculture* (2005) [

Mills, D, 'Sustainable Harvest of Lobster Pueruli' (2005) [M3]

Mills, D, Gardner, C, Johnson, CR, 'Experimental reseeded of juvenile spiny lobsters (*Jasus edwardsii*: Comparing survival and movement of wild and naive lobsters at multiple sites', *Aquaculture* 13 (2005) [A1]

Mills, D, Gardner, C, Oliver, MD, 'Survival and movement of naive juvenile spiny lobsters returned to the wild', *Journal of Experimental Marine Biology and Ecology*, **324** (1) 20-30 (2005) [A1]

- Mills, D, Mackinnon, CJ, Gardner, C, 'Tasmanian giant crab fishery 2003/04', *TAFI Fishery Assessment Report*, TAFI, Hobart (2005) [O5]
- Mills, D, Verdouw, G, Frusher, SD, 'A remote multi-camera system for *in situ* observations of behaviour and predatory/prey interactions of marine benthic macrofauna', *New Zealand Journal of Marine and Freshwater Research*, **39** (2) 347-352 (2005) [A1]
- Mills, DJ, Gardner, C, Oliver, M, 'Survival and movement of naive juvenile spiny lobsters returned to the wild', *Journal of Experimental Marine Biology and Ecology* (324) 20-30 (2005) [A1]
- Morehead, DT, Battaglione, SC, Metillo, EB, Bransden, MP, Dunstan, GA*, 'Copepods as a Live Feed for Striped Trumpeter *Latris lineata* Larvae', *Copepods in Aquaculture*, Blackwells Publishing, Cheng-Sheng Lee, Patricia J.O'Bryen, Nancy H. Marcus (ed), Iowa, 195-208 (2005) [C1]
- Morrison, RN, Crosbie, PBB, Cook, MT*, Adams, MB, Nowak, BF, 'Cultured gill-derived *Neoparamoeba pemaquidensis* fails to elicit amoebic gill disease (AGD) in Atlantic salmon *Salmo salar*', *Diseases of Aquatic Organisms*, **66** 135-144 (2005) [A1]
- Morrison, RN, Lyons, A, Nowak, BF, Hayball, JD, 'Assessment of snapper (*Pagrus auratus*) natural IgM binding to bromelain treated sheep erythrocytes', *Fish and Shellfish Immunology*, **18** 91-99 (2005) [A1]
- Morrison, RN, Nowak, BF, 'Bath treatment of Atlantic salmon (*Salmo salar*) with amoebae antigens fails to affect survival to subsequent amoebic gill disease (AGD) challenge', *Bulletin European Association of Fish Pathologists*, **25** (4) 155-160 (2005) [A1]
- Mount, RE, Crawford, C, Veal, CJ, White, CA, *Bringing Back the Bay: Marine Habitats and Water Quality in Georges Bay*, Break O'Day Council (2005) [I1]
- Mount, RE, Lucieer, VL, Lawler, MM, Jordan, AR, *Mapping of Estuarine and Marine Habitats in the Southern NRM Region*, Southern NRM Region, NHT46397 (2005) [I1]
- Neira, FJ, 'Summer and winter plankton fish assemblages around offshore oil and gas platforms in south-eastern Australia', *Estuarine Coastal and Shelf Science*, **63** 589-604 (2005) [A1]
- Nichols, PD, Brock, M, Dunstan, GA, Bransden, MP, Goldsmid, RM, Battaglione, SC, 'Potential new Australian farmed seafood source of omega-3 oils: oil and fatty acid composition of the finfish striped trumpeter (*Latris lineata*)', *Food Australia*, **57** (7) 295-301 (2005) [A1]

Nowak, BF, Crane, M, Jones, B, *Aquatic Animal Health Subprogram: Development of national investigation and reporting protocols for fish kills in recreational and capture fisheries*, FRDC, Final (2005) [I1]

Oliver, MD, Stewart, R, Mills, D, Macdiarmid, AB, Gardner, C, 'Stock enhancement of rock lobsters (*Jasus edwardsii*): Timing of predation on naive juvenile lobsters', *New Zealand Journal of Marine and Freshwater Research*, **39** (2) 391-397 (2005) [A1]

Powell, MD, Attard, M, Harris, J, Roberts, SD, Leef, MJ, *Why fish die - the treatment and pathophysiology of AGD*, Fisheries Research and Development Corporation, Final (2005) [I1]

Powell, MD, Harris, J, Carson, J, Hill, JV, 'Effects of gill abrasion and experimental infection with *Tenacibaculum maritimum* on the respiratory physiology of Atlantic salmon *Salmo salar* affected by amoebic gill disease', *Diseases of Aquatic Organisms*, **63** 169-174 (2005) [A1]

Powell, MD, Speare, DJ, Daley, J, Lovy, J, 'Differences in metabolic response to *Loma salmonae* infection in juvenile rainbow trout *Oncorhynchus mykiss* and brook trout *Salvelinus fontinalis*', *Diseases of Aquatic Organisms*, **67** 233-237 (2005) [A1]

Ritar, AJ, Smith, GG, 'Congratulations, it's a baby (lobster)!', *Get SET (Utas)*, Utas, Hobart, Tas (2005) [O4]

Ritar, AJ, Smith, GG, 'Crustacean elation! Utas bolsters research into lobsters', *Tasmanian Business Reporter*, January 2005, Hobart, Tasmania (2005) [O1]

Ritar, AJ, Smith, GG, 'Hatchery production of southern rock lobster in Tasmania', *Austasia Aquaculture*, Turtle Press, Hobart, **Feb-March** (2005) [O2]

Ritar, AJ, Smith, GG, 'Hatchery production of southern rock lobster in Tasmania', *The Lobster Newsletter*, **18**, 2 (2005) [O2]

Ritar, AJ, Smith, GG, 'Hatchery production of southern rock lobster in Tasmania', *Southern Rocklobster News*, 7 (2005) [O4]

Ritar, AJ, Smith, GG, 'Propagation of southern rock lobster (*Jasus edwardsii*) in Tasmania', *Proceedings of the Seventh Annual Rock Lobster Enhancement and Aquaculture Subprogram/Rock Lobster Post-Harvest Subprogram Workshop, September 2005, Hobart*, Hobart (2005) [F3]

Ritar, AJ, Smith, GG, 'Segment in Research Partnerships and Research & Research Training on lobster propagation', *Utas 2004 Annual Report*, Utas, Hobart (2005) [O4]

Ritar, AJ, Smith, GG, 'Tassie hatches lobster industry', *Sunday Tasmanian*, 2 January 2005 (2005) [O1]

Ritar, AJ, Smith, GG, Buxton, CD, 'First hatchery lobster hailed', *FRDC R&D News*, FRDC, Canberra (2005) [O4]

Ritar, AJ, Smith, GG, Buxton, CD, 'Rock lobster breakthrough!', *Fish Farming International*, **32**, 1 (2005) [O1]

Ritar, AJ, Smith, GG, Thomas, CW, Smith, EG, 'Water ozonation improves survival and reduces disease in larval rock lobster (*Jasus edwardsii*)', *European Aquaculture Society, Special Publication*, Gent, Belgium, 432-434 (2005) [F3]

Roberts, SD, Powell, MD, 'Oral L-cysteine ethyl ester (LCEE) reduces amoebic gill disease (AGD) in Atlantic salmon *Salmo salar*', *Diseases of Aquatic Organisms*, **66** 21-28 (2005) [A1]

Roberts, SD, Powell, MD, 'The viscosity and glycoprotein biochemistry of salmonid mucus varies with species, salinity and the presence of amoebic gill disease', *Journal of Comparative Physiology B: biochemical, systemic and environmental physiology* (175) 1-11 (2005) [A1]

Robson, BJ, Barmuta, LA, Fairweather, PG, 'Methodological and conceptual issues in the search for a relationship between animal body-size distributions and benthic habitat architecture', *Marine and Freshwater Research* (56) 1-11 (2005) [A1]

Rough, KM, Nowak, BF, Reuters, RE, 'Haematology and leucocyte morphology of wild caught *Thunnus maccoyii*', *Journal of Fish Biology*, **66** 1649-1659 (2005) [A1]

Semmens, JM, Jackson, GD, 'Evaluation of biochemical indices for assessing growth and condition of the deepwater squid *Moroteuthis ingens*', *Marine Ecology Progress Series*, **289** 215-223 (2005) [A1]

Shaw, GW, Battaglione, SC, Pankhurst, PM, 'Effects of turbulence and turbidity on growth, survival, and feed intake of striped trumpeter, *Latris lineata*, larvae', *European Aquaculture Society, Special Publication*, Gent, Belgium, 466-469 (2005) [F3]

Shaw, GW, Battaglione, SC, Pankhurst, PM, 'How important is a constant visual environment to the predatory ability of striped trumpeter, *Latris lineata*, larvae?', *Proceedings of the Aquafin CRC Conference*, Hobart, Tasmania, 12 (2005) [F3]

Shepherd, SA, Edgar, GJ, Barrett, NS, 'Reef Fishers of the Althorpe Islands and Adjacent coasts of Central South Australia', *Transactions of the Royal Society of South Australia*, **129** (2) 183-192 (2005) [A1]

Sinn, DL, Moltschaniwskyj, NA, 'Personality Traits in Dumpling Squid (*Euprymna tasmanica*): Context-Specific Traits and Their Correlation With Biological Characteristics', *Journal of Comparative Psychology*, **119** (1) 99-110 (2005) [A1]

Smith, GG, Ritar, AJ, 'Effect of physical disturbance on reproductive performance in the spiny lobster, *Jasus edwardsii*', *New Zealand Journal of Marine and Freshwater Research*, **39** (2) 317-324 (2005) [A1]

Stark, KE, Jackson, GD, Lyle, J, 'Tracking arrow squid movements with an automated acoustic telemetry system', *Marine Ecology Progress Series*, **299** 167-177 (2005) [A1]

Swift, KR, Johnston, DJ, Moltschaniwskyj, NA, 'The digestive gland of the Southern Dumpling Squid (*Euprymna tasmanica*): structure and function', *Journal of Experimental Marine Biology and Ecology*, **315** 177-186 (2005) [A1]

Swirepik, J, Davies, PE, Bouckaert, F, 'An ecological audit for the Murray-Darling Basin: Design and implementation of the sustainable rivers audit', *Proceedings of the 4th Australian Stream Management Conference: linking rivers to landscapes*, Launceston, 575-579 (2005) [F1]

Taylor, JF, Migaud, H, Porter, MJR, Bromage, NR, 'Photoperiod influences growth rate and plasma insulin-like growth factor-I levels in juvenile rainbow trout, *Oncorhynchus mykiss*', *General and Comparative Endocrinology*, **142** 169-185 (2005) [A1]

Tolomei, AJ, 'Microbial control in larval southern rock lobster (*Jasus edwardsii*) and *Artemia*' (2005) [M3]

Tracey, S, Lyle, J, 'Age validation, growth modeling, and mortality estimates for striped trumpeter (*Latris lineata*) from southeastern Australia: making the most of patchy data', *Fishery Bulletin*, **103** (1) 169-182 (2005) [A1]

Tracey, S, Lyle, J, Duhamel, G, 'Application of elliptical Fourier analysis of otolith form as a tool for stock identification', *Fisheries Research*, **77** 138-147 (2005) [A1]

Trotter, AJ, Battaglione, SC, Pankhurst, PM, 'Buoyancy control and diel changes in swim-bladder volume in cultured striped trumpeter (*Latris lineata*) larvae', *Marine and Freshwater Research*, **56** 361-370 (2005) [A1]

Trotter, AJ, Pankhurst, PM, Battaglione, SC, 'A finite interval of initial swimbladder inflation in *Latris lineata* revealed by sequential removal of water-surface films', *Journal Fish Biology*, **67** (3) 730-741 (2005) [A1]

Valentine, JP, Johnson, CR, 'Persistence of sea urchin (*Heliocidaris erythrogramma*) barrens on the east coast of Tasmania: inhibition of macroalgal recovery in the absence of high densities of sea urchins', *Botanica Marina*, **48** (2) 106-115 (2005) [A1]

Valentine, JP, Johnson, CR, 'Persistence of the exotic kelp *Undaria pinnatifida* does not depend on sea urchin grazing', *Marine Ecology Progress Series* (285) 43-55 (2005) [A1]

Villalta, M, Estevez, A, Bransden, MP, 'Arachidonic acid enriched live prey induces albinism in Senegal Sole (*Solea senegalensis*) larvae', *Aquaculture*, **245** (1-4) 193-209 (2005) [A1]

Villalta, M, Estevez, A, Bransden, MP, Bell, JG, 'The effect of graded concentrations of dietary DHA on growth, survival and tissue fatty acid profile of Senegal sole (*Solea senegalensis*) larvae during the *Artemia* feeding period', *Aquaculture*, **249** (1-4) 353-365 (2005) [A1]

Villavedra, M, McCarthy, K*, To, J, Morrison, RN, Crosbie, PBB, Broady, K, Raison, R, 'Changes in antigenic profile during culture of *Neoparamoeba* sp., causative agent of amoebic gill disease in Atlantic salmon', *International Journal for Parasitology*, **35** 1417-1423 (2005) [A1]

Ward, DA, Carter, CG, Townsend, AT, 'The use of yttrium oxide and the effect of faecal collection timing for determining the apparent digestibility of minerals and trace elements on Atlantic salmon (*Salmo salar*, L.) feeds', *Aquaculture Nutrition*, **11** 49-59 (2005) [A1]

Watts, M, Pankhurst, NW, King, HR, Geraghty, DP, 'Differential effects of temperature and maturity stage on hepatic estrogen receptor characteristics of Atlantic salmon', *Comparative Biochemistry and Physiology. Part A: Molecular & Integrated Physiology*, **140** 377-383 (2005) [A1]

Welsford, D, Lyle, J, 'Estimates of growth and comparisons of growth rates determined from length- and age-based model for populations of purple wrasse (*Notolabrus fucicola*)', *Fisheries Bulletin* (103) 697-711 (2005) [A1]

Welsford, D, Lyle, J, Neira, FJ, 'Redbait survey yields valuable information', *Fishing Today*, Artemis Publishing Consultants, Hobart, **18**, 6 (2005) [O2]